



# The Ecology of Mycobacteria: Impact on Animal's and Human's Health

J. Kazda, I. Pavlik, I., J. O. Falkinham III, K. Hruska

Springer, 2009, XVIII, 522 p., Hardcover  
ISBN: 978-1-4020-9412-5

## CONTENTS

Preface to the second edition (J. Kazda)  
Editors' comments  
Contributors  
Authors of photographs  
Acknowledgement

### 1. The chronology of mycobacteria and the development of mycobacterial ecology

**J. Kazda**

- 1.1 The microbiology of mycobacteria (J. Kazda)
  - 1.1.1 The first pathogenic mycobacteria
  - 1.1.2 Further progress in mycobacteriology
  - 1.1.3 The first potentially pathogenic mycobacteria
  - 1.1.4 The first methods for the differentiation of mycobacteria
  - 1.1.5 Biochemical methods for the differentiation of mycobacteria
  - 1.1.6 Molecular, genetic and other methods in mycobacterial taxonomy
- 1.2 The ecology of mycobacteria (J. Kazda)
  - 1.2.1 First steps toward mycobacterial ecology
  - 1.2.2 Descriptive or "statistical" mycobacterial ecology
  - 1.2.3 Applied research in mycobacterial ecology
  - 1.2.4 Physiological mycobacterial ecology
  - 1.2.5 Molecular ecology
  - 1.2.6 Ecology of habitat environments
- 1.3 Classification of mycobacteria with regard to their ecology (J. Kazda)
  - 1.3.1 Obligate pathogenic mycobacteria
  - 1.3.2 Potentially pathogenic mycobacteria
  - 1.3.3 Environmental saprophytic mycobacteria

### 2. Obligate pathogenic mycobacteria

**Eds.: J. Kazda, I. Pavlik**

- 2.1 *M. tuberculosis* complex members (I. Pavlik)
  - 2.1.1 *M. tuberculosis*, *M. africanum* and *M. canettii*

- 2.1.2 *M. bovis* and *M. caprae*
- 2.1.3 *M. microti* and *M. pinnipedii*
- 2.2 *M. leprae*: obligate or potentially pathogenic *Mycobacterium*? (J. Kazda)
  - 2.2.1 General characteristic
  - 2.2.2 Ecological aspects
  - 2.2.3 Trends

### 3. Potentially pathogenic mycobacteria

Eds.: I. Pavlik, J. O. Falkinham III, J. Kazda

3.1 Potentially pathogenic, slowly growing mycobacteria (I. Pavlik, J. Kaustova, J. O. Falkinham III, J. Kazda, J. E. Shitaye)

- 3.1.1 *M. kansasii*
  - 3.1.1.1 *M. kansasii* in soil and in dust
  - 3.1.1.2 *M. kansasii* in surface water
  - 3.1.1.3 *M. kansasii* in industrial water
  - 3.1.1.4 *M. kansasii* in drinking water
  - 3.1.1.5 *M. kansasii* in other sources
  - 3.1.1.6 Risk factors for *M. kansasii* infections
  - 3.1.1.7 The prevention of human infections caused by *M. kansasii*
  - 3.1.1.8 Views and perspectives on the research
- 3.1.2 *M. ulcerans*
  - 3.1.2.1 General characteristic
  - 3.1.2.2 Ecological aspects
  - 3.1.2.3 Trends
- 3.1.3 *M. avium* species
  - 3.1.3.1 *M. avium* subsp. *avium*
  - 3.1.3.2 *M. avium* subsp. *hominissuis*
  - 3.1.3.3 *M. avium* subsp. *silvaticum*
  - 3.1.3.4 *M. avium* subsp. *paratuberculosis*
- 3.1.4 *M. intracellulare*
  - 3.1.4.1 Introduction
  - 3.1.4.2 Genetics
  - 3.1.4.3 Ecology
  - 3.1.4.4 Physiologic ecology
- 3.1.5 *M. malmoense*
  - 3.1.5.1 *M. malmoense* in humans
  - 3.1.5.2 Occurrence of *M. malmoense* in soil and in water
  - 3.1.5.3 Clinical significance of *M. malmoense* from soil and water for animals and people
  - 3.1.5.4 Views and perspectives on the research
- 3.1.6 *M. xenopi*
  - 3.1.6.1 Laboratory diagnosis
  - 3.1.6.2 Sources of *M. xenopi* infection in humans
  - 3.1.6.3 Regional distribution of *M. xenopi*
  - 3.1.6.4 Sources of *M. xenopi* infection in animals
  - 3.1.6.5 Other sources of *M. xenopi* infection
  - 3.1.6.6 Preventive measures
- 3.1.7 *M. marinum*
  - 3.1.7.1 What is the difference between "swimming pool" and "fish-tank" granuloma?
  - 3.1.7.2 What are the main sources of human infections?
  - 3.1.7.3 What are the most frequent modes of human infection?
  - 3.1.7.4 Clinical manifestations in humans
  - 3.1.7.5 Diagnosis of the disease
  - 3.1.7.6 Preventive measures and human health issues

- 3.1.8 Other potentially pathogenic and saprophytic slowly-growing species
  - 3.1.8.1 *M. haemophilum*
  - 3.1.8.2 Views and perspectives on the research
- 3.2 Rapidly growing potentially pathogenic mycobacteria (J. O. Falkinham III)
  - 3.2.1 *M. abscessus*, *M. chelonae* and *M. fortuitum*
  - 3.2.2 Other potentially pathogenic rapidly growing mycobacteria
  - 3.2.3 Conclusions
- 3.3. Nosocomial infections (I. Pavlik, J. Kaustova, J. O. Falkinham III)
  - 3.3.1 Modes of host infection with potentially pathogenic mycobacteria
  - 3.3.2 The most important risk factors for the spread of potentially pathogenic mycobacterial infection in hospitals
  - 3.3.3 Clinical, therapeutic and preventative aspects

#### **4. Physiological ecology of environmental saprophytic and potentially pathogenic mycobacteria**

**J. O. Falkinham III**

- 4.1 Cell envelope structure and hydrophobicity
- 4.2 Slow growth
- 4.3 Surface and interface adherence
  - 4.3.1 Surface adherence
  - 4.3.2 Interface adherence and concentration
- 4.4 Formation and consequences of biofilm formation
- 4.5 Physiologic and metabolic features
- 4.6 Mycobacterial adaptation (dormancy)
- 4.7 Formation of biofilms
  - 4.7.1 Mycobacteria as biofilm “pioneers”
  - 4.7.2 Biofilms in the hospitals

#### **5. Environments providing favourable conditions for the multiplication and transmission of mycobacteria**

**Eds.: I. Pavlik, J. O. Falkinham III, J. Kazda**

- 5.1 Mycobacteria in sphagnum, peats, potting soils (J. Kazda, J. O. Falkinham III)
  - 5.1.1 Sphagnum vegetation: the habitat of mycobacteria
    - 5.1.1.1 General characteristics
    - 5.1.1.2 Ecological aspects
    - 5.1.1.3 Trends
  - 5.1.2 Potting soil
  - 5.1.3 Moss vegetation (Bryopsida, Bryidae) as a source of mycobacteria
    - 5.1.3.1 General characteristics
    - 5.1.3.2 Ecological aspects
    - 5.1.3.3 Trends
- 5.2 Water as a habitat and vector for transmission (I. Pavlik, J. O. Falkinham III)
  - 5.2.1 Natural water as habitat and vector for transmission
  - 5.2.2 Drinking water distribution systems as a habitat and vector for transmission
  - 5.2.3 Spas and hot tubs as habitats and vectors for transmission
  - 5.2.4 Foot baths as habitats and sources of mycobacterial infection
  - 5.2.5 Surface water
    - 5.2.5.1 Mycobacteria in the atmosphere
    - 5.2.5.2 Mycobacteria in salt water
    - 5.2.5.3 Mycobacteria in fresh underground water
    - 5.2.5.4 Mycobacteria in fresh surface water
    - 5.2.5.5 Mycobacteria in water treated by distillation and deionisation
  - 5.2.6 Water for animals
  - 5.2.7 Waste water

- 5.2.7.1 Communal waste water
- 5.2.7.2 Industrial waste water
- 5.2.7.3 Agricultural waste water
- 5.2.7.4 Spontaneous sewage purification (self-purification of waste water)
- 5.2.7.5 Wastewater treatment plants (sewage plants)
- 5.2.7.6 Reducing factors for mycobacteria in waste water and sediments
- 5.2.8 Views and perspectives on the research
- 5.3 Occupational habitats and vectors for transmission (J. O. Falkinham III)
  - 5.3.1 Swimming pools as habitats for transmission
  - 5.3.2 Metal working fluids and aerosols as sources of mycobacterial exposure
  - 5.3.3 Damp and water-damaged houses and buildings
  - 5.3.4 Instruments
- 5.4 Peatland runoff waters (J. Kazda)
- 5.5 Soil (I. Pavlik)
  - 5.5.1 Soil composition and preconditions for mycobacterial colonisation
    - 5.5.1.1 Nonliving materials in soil and physical factors
    - 5.5.1.2 Living components of soil
  - 5.5.2 Soil types and the occurrence of mycobacteria
    - 5.5.2.1 Black soils and brown soils
    - 5.5.2.2 Brown forest soils
    - 5.5.2.3 Calcic soils, rankers, gley and illimerised soils
    - 5.5.2.4 Podzols
    - 5.5.2.5 Salty soils
    - 5.5.2.6 Soil in slag heaps, overburdens and removed soil
  - 5.5.3 The influence of different factors on the presence of mycobacteria in soil
    - 5.5.3.1 Soil composition
    - 5.5.3.2 Vegetation
    - 5.5.3.3 Water quantity
    - 5.5.3.4 Temperature
  - 5.5.4 Transmission of mycobacteria from soil to other components of the environment and its impact on the health of animals and people
    - 5.5.4.1 Invertebrate animals
    - 5.5.4.2 Vertebrates
    - 5.5.4.3 Soil and soil mycobacteria in relation to animal health
    - 5.5.4.4 Soil and soil mycobacteria in relation to the health of people
  - 5.5.5 Gross lesions in cattle and pigs caused by *Rhodococcus equi* and its relation to soil (Pavlik, Bartosova-Dvorska)
    - 5.5.5.1 The occurrence of *R. equi* in horses, cattle, pigs and soil
    - 5.5.5.2 The health implications of *R. equi* and its occurrence in pigs together with potentially pathogenic mycobacteria
    - 5.5.5.3 Prevention of infections caused by *R. equi*
  - 5.5.6 The role of soil in spreading obligatory pathogenic mycobacteria
  - 5.5.7 Prevention
  - 5.5.8 Views and perspectives on the research
- 5.6 Feedstuffs (I. Pavlik)
  - 5.6.1 Plants as a feedstuffs for animals
    - 5.6.1.1 Green fodder as the main unfermented feed source
    - 5.6.1.2 Ensilage and haylage as the main fermented feed source
    - 5.6.1.3 Cereals and its products
  - 5.6.2 Hay and straw
  - 5.6.3 Feeding supplements
    - 5.6.3.1 Peat as a feed supplement
    - 5.6.3.2 Kaolin as a feed supplement

- 5.6.3.3 Bentonite, zeolites and wooden coal as feed supplements
  - 5.6.4 Conclusions, views and perspectives on the research
- 5.7 Foodstuffs (I. Pavlik)
  - 5.7.1 Fruit and vegetables
    - 5.7.1.1 Naturally contaminated fruits
    - 5.7.1.2 Naturally contaminated vegetables
    - 5.7.1.3 The impact of experimentally contaminated soil with *M. a. paratuberculosis* on the contamination of planted vegetables
  - 5.7.2 The relationship of plants and their products with mycobacteria
    - 5.7.2.1 The stimulating effect of some plants and their products to the growth of mycobacteria
    - 5.7.2.2 The antimycobacterial effect of some plants and their products on the growth of mycobacteria
  - 5.7.3 Cereals and their products
  - 5.7.4 The spread of mycobacteria by milk and milk products
    - 5.7.4.1 Milk
    - 5.7.4.2 Breast milk
    - 5.7.4.3 Dairies
    - 5.7.4.4 Dairy products
  - 5.7.5 Meat, parenchymatous organs and its products as a source of mycobacteria
    - 5.7.5.1 Slaughterhouses and meat factories
    - 5.7.5.2 Slaughterhouses as a source of mycobacteria for workers
    - 5.7.5.3 Meat as a source of mycobacteria
    - 5.7.5.4 Sources of mycobacterial contamination for meat products
    - 5.7.5.5 Meat products as a source of mycobacteria
  - 5.7.6 Fish and fish products as a source of mycobacteria
  - 5.7.7 Domestic poultry as a source of mycobacteria
    - 5.7.7.1 Poultry slaughterhouses as source of mycobacteria
    - 5.7.7.2 Poultry products as a source of mycobacteria
  - 5.7.8 Other non-traditional foodstuffs
  - 5.7.9 Raw food product consumption and the risk it poses to humans
    - 5.7.9.1 Food as a risk factor for bovine tuberculosis in humans
    - 5.7.9.2 Food as a risk factor for *M. avium* complex infections in humans
    - 5.7.9.3 Pork meat as a risk factor for *M. avium* complex infections in humans
    - 5.7.9.4 Food as a risk factor for *M. avium* complex infections in HIV/AIDS patients
- 5.8 Sawdust, wood-shavings, wood and bark (I. Pavlik, M. Trckova)
  - 5.8.1 Mycobacteria in living trees
  - 5.8.2 Mycobacterial contamination of wood products
  - 5.8.3 The pathogenesis of the mycobacterial infections caused by contaminated wood products
  - 5.8.4 The economic impact of mycobacterial infection on pig husbandry
  - 5.8.5 Tracing of mycobacterial infection in pig husbandry
  - 5.8.6 Health and food safety issues
  - 5.8.7 Preventive measures
  - 5.8.8 Key research issues
- 5.9 Air as habitat and vector for the distribution of mycobacteria (I. Pavlik, J. O. Falkinham III, L. Dvorska)
  - 5.9.1 Aerosolisation of mycobacteria
  - 5.9.2 The formation of aerosols in occupational situations: indoor pools and metal-working fluids
  - 5.9.3 The formation of dust carrying mycobacteria

- 5.9.3.1 Dust in potting activities
- 5.9.3.2 Dust in households, hospitals and other indoor environments
- 5.9.3.3 Dust in animal stables
- 5.9.4 Prevention of dust exposure
  - 5.9.4.1 Open landscape
  - 5.9.4.2 Indoors (houses, hospital, offices etc.)
  - 5.9.4.3 Animal farms
- 5.9.5 Views and perspectives on the research
- 5.10 Mycobacteria in excreta of birds, animals and humans (I. Pavlik, V. Mrlik)
  - 5.10.1 Mycobacteria in the faeces of birds, animals and humans
    - 5.10.1.1 Wild birds
    - 5.10.1.2 Domestic birds
    - 5.10.1.3 The human gastrointestinal tract including stools
  - 5.10.2 The transmission of mycobacteria by other excreta of animals and humans
    - 5.10.2.1 Saliva
    - 5.10.2.2 Regurgitation, vomit and leftovers of feed and food
    - 5.10.2.3 Urine
    - 5.10.2.4 Non-vertebrates
  - 5.10.3 Mycobacteria in slurry, liquid dung and compost
    - 5.10.3.1 Manure, slurry and dung-water
    - 5.10.3.2 Liquid dung
    - 5.10.3.3 Compost
    - 5.10.3.4 Exposure of animals and humans to waste-derived mycobacteria
  - 5.10.4 Views and perspectives on the research

## **6. The occurrence of pathogenic and potentially pathogenic mycobacteria in animals and the role of the environment in the spread of infection**

**Eds.: I. Pavlik, J. O. Falkinham III**

- 6.1 Protozoa - introduction (J. O. Falkinham III, I. Pavlik)
- 6.2 Mycobacteria as endosymbionts in protozoa (J. O. Falkinham III, I. Pavlik)
  - 6.2.1 Presence of mycobacteria in protozoa
  - 6.2.2 Growth in protozoa
  - 6.2.3 Consequences of mycobacterial growth in protozoa
  - 6.2.4 Spread of mycobacteria by soil protozoa
    - 6.2.4.1 Soil protozoa and "grazing" of bacteria
    - 6.2.4.2 Views and perspectives on the research
- 6.3 Metazoan invertebrates (I. Pavlik, J. Klimes)
  - 6.3.1 Worms
    - 6.3.1.1 Earthworms
    - 6.3.1.2 Sludge worms (*Tubifex tubifex*)
    - 6.3.1.3 Nematodes
    - 6.3.1.4 Views and perspectives on the research
  - 6.3.2 Molluscs
    - 6.3.2.1 The possible role of molluscs in the ecology of mycobacteria
    - 6.3.2.2 Mycobacteria detected in molluscs and their health impact
    - 6.3.2.3 Views and perspectives on the research
  - 6.3.3 Echinoderms
  - 6.3.4 Arthropods
    - 6.3.4.1 Crustaceans
    - 6.3.4.2 Chelicerata
    - 6.3.4.3 Tracheates
  - 6.3.5 Insects
    - 6.3.5.1 Dragonflies

- 6.3.5.2 Cockroaches
- 6.3.5.3 Orthoptera and Homoptera
- 6.3.5.4 Diptera
- 6.3.5.5 Beetles
- 6.3.5.6 Butterflies
- 6.3.5.7 Hymenopterans
- 6.3.5.8 Hemipterans
- 6.3.5.9 Water bugs
- 6.3.5.10 Bloodsucking insects
- 6.4 Transmission of mycobacteria by vertebrate predators of invertebrates (I. Pavlik, J. Klimes)
- 6.5 Poikilothermic vertebrates (I. Pavlik, J. L. Khol)
  - 6.5.1 Fish
    - 6.5.1.1 Prevalence of mycobacteria in fish in the wild and in aquacultures
    - 6.5.1.2 Spontaneous and experimentally induced infection
    - 6.5.1.3 Spread of mycobacterial infections
    - 6.5.1.4 Clinical and histopathological findings
  - 6.5.2 Amphibians
    - 6.5.2.1 Spontaneous and experimental infections
    - 6.5.2.2 Clinical and histopathological findings
  - 6.5.3 Reptiles
    - 6.5.3.1 The causes and spread of mycobacterial infections
    - 6.5.3.2 Gross and histopathological lesions
    - 6.5.3.3 Course of infection
  - 6.5.4 Food safety issues
- 6.6 Birds (I. Pavlik, V. Mrlik, J. Klimes)
  - 6.6.1 Birds
    - 6.6.1.1 Ratites
    - 6.6.1.2 Diving birds
    - 6.6.1.3 Flying birds
  - 6.6.2. The impact of birds through their transmission of selected mycobacterial species
    - 6.6.2.1 *M. tuberculosis*
    - 6.6.2.2 *M. bovis*
    - 6.6.2.3 *M. genavense*
- 6.7 Mammals (I. Pavlik, V. Mrlik, J. Klimes)
  - 6.7.1 Mammals living in water for a substantial part of their lives
  - 6.7.2 Mammals living a substantial part of their lives underground and on the land
    - 6.7.2.1 Insectivores
    - 6.7.2.2 Lagomorphs
    - 6.7.2.3 Rodents
    - 6.7.2.4 Omnivores
    - 6.7.2.5 Herbivores
    - 6.7.2.6 Carnivores
  - 6.7.3 Mammals spending a substantial part of their lives in flight and in trees

## **7. Transmission of mycobacteria from the environment to susceptible hosts**

**Eds.: I. Pavlik, J. O. Falkinham III, J. Kazda**

- 7.1 Modes of transmission of mycobacteria (J. O. Falkinham III, I. Pavlik)
- 7.2 Demonstrated modes of mycobacterial transmission from environmental sources (J. O. Falkinham III)
  - 7.2.1 Transmission via ingestion
  - 7.2.2 Transmission via aerosolized water droplets in showers in the home

- 7.2.3 Transmission via aerosols from hot tubes and spas in the home
- 7.2.4 Transmission via aerosols at work
- 7.2.5 Transmission via aerosolized dusts
- 7.2.6 Transmission via direct physical contact
- 7.2.7 Transmission via insect bite
- 7.3 Risk assessment of mycobacterial disease from environmental sources (J. O. Falkinham III, J. Kazda)
  - 7.3.1 General considerations
  - 7.3.2 Risk assessment of *M. avium* in drinking water for immuno-deficient individuals
  - 7.3.3 Risk analysis for *M. avium* infection via natural aerosols
  - 7.3.4 Risk assessment of *M. avium* infection via shower aerosols
  - 7.3.5 Risk assessment of mycobacteria in potting soils
  - 7.3.6 The possible convergence towards pathogenicity in environmentally-derived mycobacteria: an ecological approach
- 7.4 Allergic reactions provoked by environmental mycobacteria (J. Kazda)
  - 7.4.1 Non-specific reactions to tuberculins
  - 7.4.2 Development of cutaneous basophilic hypersensitivity provoked by mycobacteria
  - 7.4.3 Allergic reactions of the digestive tract caused by mycobacteria
  - 7.4.4 Deviation of BCG-protection caused by environmental mycobacteria
- 7.5 Prevention of mycobacterial infections derived from the environment (I. Pavlik, V. Mrlik, J. Kazda)
  - 7.5.1 Basic principles of prevention in different types of herds
    - 7.5.1.1 Conventional herds of domestic animals in old buildings
    - 7.5.1.2 Conventional herds of domestic animals in new buildings
    - 7.5.1.3 Ecological herds of domestic animals
    - 7.5.1.4 Animals on pastures
    - 7.5.1.5 Animals bred in captivity
  - 7.5.2 Bedding in animal herds and risks of mycobacterial infection
    - 7.5.2.1 Pig herds in large-scale and small-scale production conditions
    - 7.5.2.2 Herds of cattle
    - 7.5.2.3 Breeds of gallinaceous and water fowl
    - 7.5.2.4 Breeds of wild animals in captivity
    - 7.5.2.5 Prevention of the spread of mycobacteria through bedding
  - 7.5.3 The effect of animal housing technology on the spread of mycobacteria
  - 7.5.4 The water supply for animals and the risk of the spread of mycobacteria
    - 7.5.4.1 The water supply for animals in pastures, in game parks and on deer farms
    - 7.5.4.2 The water supply for animals on farms and in zoological gardens
  - 7.5.5 The protection of feed and feed supplements from mycobacteria
    - 7.5.5.1 The protection of fodder
    - 7.5.5.2 The protection of feed grain
    - 7.5.5.3 The protection of feed for carnivores and primates in captivity and domestic pets
    - 7.5.5.4 The protection of feed and feed supplements
  - 7.5.6 The prevention of the spread of mycobacteria through the correct handling and storage of excrement
  - 7.5.7 The prevention of the transmission of mycobacteria among animals, people and the environment
    - 7.5.7.1 The prevention of the transmission of mycobacteria through direct contact
    - 7.5.7.2 The prevention of the transmission of mycobacteria through indirect contact

- 7.5.7.3 The prevention of the transmission of mycobacteria from animals to people
- 7.5.8 Preventive measures in hospitals and other facilities
  - 7.5.8.1 Humans (patients, staff, visitors and other humans)
  - 7.5.8.2 Animals as vectors of mycobacteria
  - 7.5.8.3 Water and dust as important vehicles of mycobacteria in hospitals
  - 7.5.8.4 Non-heat-treated foodstuffs as an important source of mycobacteria
  - 7.5.8.5 Other risk factors resulting from the ecology of mycobacteria
- 7.5.9 Experiences with water supplies free of mycobacteria

## **8. Biological role of mycobacteria in the environment**

**Eds.: J. Kazda, J. O. Falkinham III**

- 8.1 Selection for intracellular growth (J. O. Falkinham III)
- 8.2 Degradation of organic compounds by mycobacteria (A. Jesenska, J. Damborsky)
  - 8.2.1 Organic pollutants in the environment
  - 8.2.2 Organic pollutants biodegradable by mycobacteria
  - 8.2.3 Microbial metabolism of organic pollutants
  - 8.2.4 Mycobacteria involved in biodegradation of organic pollutants
  - 8.2.5 *M. vanbaalenii* Strain PYR-1 strain utilizing PAHs
  - 8.2.6 Distribution of haloalkane dehalogenase enzymes in mycobacteria
  - 8.2.7 Conclusions
- 8.3 Mycobacterial volatilisation, sequestering, or precipitation of toxic heavy metals (J. O. Falkinham III)
- 8.4 The biological role of mycobacteria as nutrients for dragonfly larvae and Cladocera (J. Kazda)

## **9. Key research issues**

**Eds.: J. Kazda, I. Pavlik, J. O. Falkinham III, K. Hruska**

- 9.1 The recruiting of students for training in mycobacteriology
- 9.2 Possible requirements for monitoring levels of *M. avium* complex in drinking water
- 9.3 Mechanisms of mycobacterial adaptation
- 9.4 Sequence and genomics of mycobacterial plasmids
- 9.5 Mycobacterial vaccines
- 9.6 New targets for anti-mycobacterial therapy
- 9.7 Cell envelope modifications, including cell wall deficient mycobacteria
- 9.8 Mycobacterial food-safety issues
- 9.9 Pathobiological potential impact of dead mycobacterial cells to host organism (K. Hruska)

## **10: Photographs**

**Eds.: I. Pavlik. K. Hruska**

## **11. Index**