

Aryl hydrocarbon receptor (AhR) studies – modes of action, induction of XMEs, genotoxicity, relative effective potencies

Svobodová J, Procházková J, Šmerdová L, Líbalová H, Topinka J, Kléma J, Kozubík A, Machala M, Vondráček J. 2,3,7,8-Tetrachlorodibenzo-p-dioxin (TCDD) disrupts control of cell proliferation and apoptosis in a human model of adult liver progenitors. *Toxicol Sci.* 2019, 172, 368-384. doi: 10.1093/toxsci/kfz202.

Strapáčová S, Brenerová P, Krčmář P, Andersson P, van Ede KI, van Duursen MBM, van den Berg M, Vondráček J, Machala M. Relative effective potencies of dioxin-like compounds in rodent and human lung cell models. *Toxicology.* 2018, 404-405, 33-41.

Procházková J, Strapáčová S, Svržková L, Andrysík Z, Hýžďalová M, Hrubá E, Pěnčíková K, Líbalová H, Topinka J, Kléma J, Espinosa JM, Vondráček J, Machala M. Adaptive changes in global gene expression profile of lung carcinoma A549 cells acutely exposed to distinct types of AhR ligands. *Toxicol Lett.* 2018, 292, 162-174.

Hýžďalová M, Pivnička J, Zapletal O, Vázquez-Gómez G, Matthews J, Neča J, Pencíková K, Machala M, Vondráček J. Aryl hydrocarbon receptor-dependent metabolism plays a significant role in estrogen-like effects of polycyclic aromatic hydrocarbons on cell proliferation. *Toxicol Sci.* 2018, 165, 447-461.

Zapletal O, Tylichová Z, Neča J, Kohoutek J, Machala M, Milcová A, Pokorná M, Topinka J, Moyer MP, Hofmanová J, Kozubík A, Vondráček J. Butyrate alters expression of cytochrome P450 1A1 and metabolism of benzo[a]pyrene via its histone deacetylase activity in colon epithelial cell models. *Arch Toxicol.* 2017, 91, 2135-2150.

Vondráček J, Pěnčíková K, Neča J, Ciganek M, Grycová A, Dvořák Z, Machala M. Assessment of the aryl hydrocarbon receptor-mediated activities of polycyclic aromatic hydrocarbons in a human cell-based reporter gene assay. *Environ Pollut.* 2017, 220(Pt A), 307-316.

Vondráček J, Machala M. Environmental ligands of the aryl hydrocarbon receptor and their effects in models of adult liver progenitor cells. *Stem Cells Int.* 2016, 2016:4326194. doi: 10.1155/2016/4326194.

Brenerová P, Hamers T, Kamstra JH, Vondráček J, Strapáčová S, Andersson PL, Machala M. Pure non-dioxin-like PCB congeners suppress induction of AhR-dependent endpoints in rat liver cells. *Environ Sci Pollut Res Int.* 2016, 23, 2099-2107.

Svobodová J, Kabátková M, Šmerdová L, Brenerová P, Dvořák Z, Machala M, Vondráček J. The aryl hydrocarbon receptor-dependent disruption of contact inhibition in rat liver WB-F344

epithelial cells is linked with induction of survivin, but not with inhibition of apoptosis. *Toxicology* 2015, 333, 37-44.

Kabátková M, Zapletal O, Tylichová Z, Neča J, Machala M, Milcová A, Topinka J, Kozubík A, Vondráček J. Inhibition of β -catenin signalling promotes DNA damage elicited by benzo[a]pyrene in a model of human colon cancer cells via CYP1 deregulation. *Mutagenesis* 2015, 30, 565-576.

Larsson M, van den Berg M, Brenerová P, van Duursen MB, van Ede KI, Lohr C, Luecke-Johansson S, Machala M, Neser S, Pěnčíková K, Poellinger L, Schrenk D, Strapáčová S, Vondráček J, Andersson PL. Consensus toxicity factors for polychlorinated dibenzo-p-dioxins, dibenzofurans, and biphenyls combining in silico models and extensive in vitro screening of AhR-mediated effects in human and rodent cells. *Chem Res Toxicol.* 2015, 28, 641-650.

Kabátková M, Svobodová J, Pěnčíková K, Mohatad DS, Šmerdová L, Kozubík A, Machala M, Vondráček J. Interactive effects of inflammatory cytokine and abundant low-molecular-weight PAHs on inhibition of gap junctional intercellular communication, disruption of cell proliferation control, and the AhR-dependent transcription. *Toxicol Lett.* 2015, 232, 113-121.

Šmerdová L, Kabátková M, Kohoutek J, Blažek D, Machala M, Vondráček J. Upregulation of CYP1B1 expression by inflammatory cytokines is mediated by the p38 MAP kinase signal transduction pathway. *Carcinogenesis.* 2014, 35, 2534-2543.

Ghorbanzadeh M, van Ede KI, Larsson M, van Duursen MB, Poellinger L, Lücke-Johansson S, Machala M, Pěnčíková K, Vondráček J, van den Berg M, Denison MS, Ringsted T, Andersson PL. In vitro and in silico derived relative effect potencies of Ah-receptor-mediated effects by PCDD/Fs and PCBs in rat, mouse, and guinea pig CALUX cell lines. *Chem Res Toxicol.* 2014, 27, 1120-1132.

Šmerdová L, Neča J, Svobodová J, Topinka J, Schmuczerová J, Kozubík A, Machala M, Vondráček J. Inflammatory mediators accelerate metabolism of benzo[a]pyrene in rat alveolar type II cells: the role of enhanced cytochrome P450 1B1 expression. *Toxicology* 2013, 314, 30-38.

Procházková J, Kabátková M, Šmerdová L, Pacherník J, Sykorová D, Kohoutek J, Šimečková P, Hrubá E, Kozubík A, Machala M, Vondráček J. Aryl hydrocarbon receptor negatively regulates expression of the plakoglobin gene (jup). *Toxicol Sci.* 2013, 134, 258-270.

Faust D, Vondráček J, Krčmář P, Šmerdová L, Procházková J, Hrubá E, Hulinková P, Kaina B, Dietrich C, Machala M. AhR-mediated changes in global gene expression in rat liver progenitor cells. *Arch Toxicol.* 2013, 87, 681-698.

Andrysík Z, Procházková J, Kabátková M, Umannová L, Simečková P, Kohoutek J, Kozubík A, Machala M, Vondráček J. Aryl hydrocarbon receptor-mediated disruption of contact inhibition is associated with connexin43 downregulation and inhibition of gap junctional intercellular communication. *Arch Toxicol.* 2013, 87, 491-503.

Staršíchová A, Hrubá E, Slabáková E, Pernicová Z, Procházková J, Pěnčíková K, Seda V, Kabátková M, Vondráček J, Kozubík A, Machala M, Souček K. TGF- β 1 signaling plays a dominant role in the crosstalk between TGF- β 1 and the aryl hydrocarbon receptor ligand in prostate epithelial cells. *Cell Signal.* 2012, 24, 1665-1676.

Valovičová Z, Mesárošová M, Trilecová L, Hrubá E, Marvanová S, Krčmář P, Milcová A, Schmuczerová J, Vondráček J, Machala M, Topinka J, Gábelová A. Genotoxicity of 7H-dibenzo[c,g]carbazole and its methyl derivatives in human keratinocytes. *Mutat Res.* 2012, 743, 91-98.

Gábelová A, Valovičová Z, Mesárošová M, Trilecová L, Hrubá E, Marvanová S, Krčmář P, Milcová A, Schmuczerová J, Vondráček J, Machala M, Topinka J. Genotoxicity of 7H-dibenzo[c,g]carbazole and its tissue-specific derivatives in human hepatoma HepG2 cells is related to CYP1A1/1A2 expression. *Environ Mol Mutagen.* 2011, 52, 636-645.

Hrubá E, Vondráček J, Líbalová H, Topinka J, Bryja V, Souček K, Machala M. Gene expression changes in human prostate carcinoma cells exposed to genotoxic and nongenotoxic aryl hydrocarbon receptor ligands. *Toxicol Lett.* 2011, 206, 178-188.

Umannová L, Machala M, Topinka J, Schmuczerová J, Krčmář P, Neča J, Šujanová K, Kozubík A, Vondráček J. Benzo[a]pyrene and tumor necrosis factor- α coordinately increase genotoxic damage and the production of proinflammatory mediators in alveolar epithelial type II cells. *Toxicol Lett.* 2011, 206, 21-29.

Trilecová L, Krčková S, Marvanová S, Pěnčíková K, Krčmář P, Neča J, Hulinková P, Pálková L, Ciganek M, Milcová A, Topinka J, Vondráček J, Machala M. Toxic effects of methylated benzo[a]pyrenes in rat liver stem-like cells. *Chem Res Toxicol.* 2011, 24, 866-876.

Procházková J, Kabátková M, Bryja V, Umannová L, Bernatík O, Kozubík A, Machala M, Vondráček J. The interplay of the aryl hydrocarbon receptor and β -catenin alters both AhR-dependent transcription and Wnt/ β -catenin signaling in liver progenitors. *Toxicol Sci.* 2011, 122, 349-360.

Vondráček J, Umannová L, Machala M. Interactions of the aryl hydrocarbon receptor with inflammatory mediators: beyond CYP1A regulation. *Curr Drug Metab.* 2011, 12, 89-103.

Procházková J, Kozubík A, Machala M, Vondráček J. Differential effects of indirubin and 2,3,7,8-tetrachlorodibenzo-p-dioxin on the aryl hydrocarbon receptor (AhR) signalling in liver progenitor cells. *Toxicology*. 2011, 279, 146-154.

Hrubá E, Trilecová L, Marvanová S, Krčmář P, Vykopalová L, Milcová A, Líbalová H, Topinka J, Staršíchová A, Souček K, Vondráček J, Machala M. Genotoxic polycyclic aromatic hydrocarbons fail to induce the p53-dependent DNA damage response, apoptosis or cell-cycle arrest in human prostate carcinoma LNCaP cells. *Toxicol Lett.* 2010, 197, 227-235. doi:10.1016/j.toxlet.2010.06.004

Vondráček J, Krčmář P, Procházková J, Trilecová L, Gavelová M, Skálová L, Szotáková B, Bunček M, Radilová H, Kozubík A, Machala M. The role of aryl hydrocarbon receptor in regulation of enzymes involved in metabolic activation of polycyclic aromatic hydrocarbons in a model of rat liver progenitor cells. *Chem Biol Interact.* 2009;180(2):226-237. doi:10.1016/j.cbi.2009.03.011

Valovičová Z, Marvanová S, Mészárosová M, Srančíková A, Trilecová L, Milcová A, Líbalová H, Vondráček J, Machala M, Topinka J, Gábelová A. Differences in DNA damage and repair produced by systemic, hepatocarcinogenic and sarcomagenic dibenzocarbazole derivatives in a model of rat liver progenitor cells. *Mutat Res.* 2009, 665, 51-60. doi:10.1016/j.mrfmmm.2009.02.014

Takáčová M, Holotňáková T, Vondráček J, Machala M, Pěnčíková K, Gradin K, Poellinger L, Pastorek J, Pastoreková S, Kopáček J. Role of aryl hydrocarbon receptor in modulation of the expression of the hypoxia marker carbonic anhydrase IX. *Biochem J.* 2009, 419, 419-425. doi:10.1042/BJ20080952

Machala M, Švihálková-Šindlerová L, Pěnčíková K, Krčmář P, Topinka J, Milcová A, Nováková Z, Kozubík A, Vondráček J. Effects of methylated chrysenes on AhR-dependent and -independent toxic events in rat liver epithelial cells. *Toxicology*. 2008, 247, 93-101. doi:10.1016/j.tox.2008.02.008.

Umannová L, Machala M, Topinka J, Nováková Z, Milcová A, Kozubík A, Vondráček J. Tumor necrosis factor-alpha potentiates genotoxic effects of benzo[a]pyrene in rat liver epithelial cells through upregulation of cytochrome P450 1B1 expression. *Mutat Res.* 2008, 640, 162-169. doi: 10.1016/j.mrfmmm.2008.02.001.

Marvanová S, Vondráček J, Pěnčíková K, Trilecová L, Krčmář P, Topinka J, Nováková Z, Milcová A, Machala M. Toxic effects of methylated benz[a]anthracenes in liver cells. *Chem Res Toxicol.* 2008, 21, 503-512. doi: 10.1021/tx700305x.

Topinka J, Marvanová S, Vondráček J, Sevastyanova O, Nováková Z, Krčmář P, Pěnčíková K, Machala M. DNA adducts formation and induction of apoptosis in rat liver epithelial 'stem-

like' cells exposed to carcinogenic polycyclic aromatic hydrocarbons. *Mutat Res.* 2008 , 638, 122-132. doi: 10.1016/j.mrfmmm.2007.09.004.

Vondráček J, Švhálková-Šindlerová L, Pěnčíková K, Marvanová S, Krčmář P, Ciganek M, Neča J, Trosko JE, Upham B, Kozubík A, Machala M. Concentrations of methylated naphthalenes, anthracenes, and phenanthrenes occurring in Czech river sediments and their effects on toxic events associated with carcinogenesis in rat liver cell lines. *Environ Toxicol Chem.* 2007, 26, 2308-2316. doi: 10.1897/07-161R.1.

Umannová L, Zatloukalová J, Machala M, Krčmář P, Májková Z, Hennig B, Kozubík A, Vondráček J. Tumor necrosis factor-alpha modulates effects of aryl hydrocarbon receptor ligands on cell proliferation and expression of cytochrome P450 enzymes in rat liver "stem-like" cells. *Toxicol Sci.* 2007, 99, 79-89. doi: 10.1093/toxsci/kfm149.

Zatloukalová J, Švhálková-Šindlerová L, Kozubík A, Krčmář P, Machala M, Vondráček J. beta-Naphthoflavone and 3'-methoxy-4'-nitroflavone exert ambiguous effects on Ah receptor-dependent cell proliferation and gene expression in rat liver 'stem-like' cells. *Biochem Pharmacol.* 2007, 73, 1622-1634. doi: 10.1016/j.bcp.2007.01.032.

Švhálková-Šindlerová L, Machala M, Pěnčíková K, Marvanová S, Neča J, Topinka J, Sevastyanova O, Kozubík A, Vondráček J. Dibenzanthracenes and benzochrysenes elicit both genotoxic and nongenotoxic events in rat liver 'stem-like' cells. *Toxicology.* 2007, 232, 147-159. doi: 10.1016/j.tox.2006.12.024.

Andrysík Z, Vondráček J, Machala M, Krčmář P, Švhálková-Šindlerová L, Kranz A, Weiss C, Faust D, Kozubík A, Dietrich C. The aryl hydrocarbon receptor-dependent deregulation of cell cycle control induced by polycyclic aromatic hydrocarbons in rat liver epithelial cells. *Mutat Res.* 2007, 615, 87-97. doi: 10.1016/j.mrfmmm.2006.10.004.

Vondráček J, Švhálková-Šindlerová L, Pěnčíková K, Krčmář P, Andrysík Z, Chramostová K, Marvanová S, Valovičová Z, Kozubík A, Gábelová A, Machala M. 7H-Dibenzo[c,g]carbazole and 5,9-dimethyldibenzo[c,g]carbazole exert multiple toxic events contributing to tumor promotion in rat liver epithelial 'stem-like' cells. *Mutat Res.* 2006, 596, 43-56. doi: 10.1016/j.mrfmmm.2005.11.005.

Vondráček J, Machala M, Bryja V, Chramostová K, Krčmář P, Dietrich C, Hampl A, Kozubík A. Aryl hydrocarbon receptor-activating polychlorinated biphenyls and their hydroxylated metabolites induce cell proliferation in contact-inhibited rat liver epithelial cells. *Toxicol Sci.* 2005, 83, 53-63. doi: 10.1093/toxsci/kfi009.

Vondráček J, Chramostová K, Plíšková M, Bláha L, Brack W, Kozubík A, Machala M. Induction of aryl hydrocarbon receptor-mediated and estrogen receptor-mediated activities, and

modulation of cell proliferation by dinaphthofurans. *Environ Toxicol Chem*. 2004, 23, 2214-2020. doi: 10.1897/03-620.

Chramostová K, Vondráček J, Šindlerová L, Vojtěšek B, Kozubík A, Machala M. Polycyclic aromatic hydrocarbons modulate cell proliferation in rat hepatic epithelial stem-like WB-F344 cells. *Toxicol Appl Pharmacol*. 2004, 196, 136-148. doi: 10.1016/j.taap.2003.12.008.

Machala M, Bláha L, Lehmler HJ, Plíšková M, Májková Z, Kapplová P, Sovadínová I, Vondráček J, Malmberg T, Robertson LW. Toxicity of hydroxylated and quinoid PCB metabolites: inhibition of gap junctional intercellular communication and activation of aryl hydrocarbon and estrogen receptors in hepatic and mammary cells. *Chem Res Toxicol*. 2004, 17, 340-347. doi: 10.1021/tx030034v.

Szotáková B, Baliharová V, Lamka J, Nozinová E, Wsól V, Velík J, Machala M, Neča J, Souček P, Susová S, Skálová L. Comparison of in vitro activities of biotransformation enzymes in pig, cattle, goat and sheep. *Res Vet Sci*. 2004, 76, 43-51. doi: 10.1016/s0034-5288(03)00143-7.

Machala M, Souček P, Neča J, Ulrich R, Lamka J, Szotáková B, Skálová L. Inter-species comparisons of hepatic cytochrome P450 enzyme levels in male ruminants. *Arch Toxicol*. 2003, 77, 555-560. doi: 10.1007/s00204-003-0477-4.

Machala M, Ciganek M, Bláha L, Minková K, Vondráček J. Aryl hydrocarbon receptor-mediated and estrogenic activities of oxygenated polycyclic aromatic hydrocarbons and azaarenes originally identified in extracts of river sediments. *Environ Toxicol Chem*. 2001, 20, 2736-43.

Skálová L, Szotáková B, Machala M, Neča J, Souček P, Havlasová J, Wsól V, Křídová L, Kvasničková E, Lamka J. Effect of ivermectin on activities of cytochrome P450 isoenzymes in mouflon (*Ovis musimon*) and fallow deer (*Dama dama*). *Chem Biol Interact*. 2001, 137, 155-167. doi: 10.1016/s0009-2797(01)00227-7.

Machala M, Vondráček J, Bláha L, Ciganek M, Neča J. Aryl hydrocarbon receptor-mediated activity of mutagenic polycyclic aromatic hydrocarbons determined using in vitro reporter gene assay. *Mutat Res*. 2001, 497, 49-62. doi: 10.1016/s1383-5718(01)00240-6.

