

Lipidomics (modulations linked to carcinogenesis and toxicity of environmental contaminants, lipid biomarkers) – determination of SLs, PLs, FAs and eicosanoids

Procházková J, Slavík J, Bouchal J, Levková M, Hušková Z, Ehrmann J, Ovesná P, Kolář Z, Skalický P, Straková N, Zapletal O, Kozubík A, Hofmanová J, Vondráček J, Machala M. Specific alterations of sphingolipid metabolism identified in EpCAM-positive cells isolated from human colon tumors. *Biochim Biophys Acta Mol Cell Biol Lipids*. 2020, 1865, 158742. doi: 10.1016/j.bbalip.2020.158742.

Hofmanová J, Slavík J, Ovesná P, Tylichová Z, Dušek L, Straková N, Vaculová AH, Ciganek M, Kala Z, Jíra M, Penka I, Kyclová J, Kolář Z, Kozubík A, Machala M, Vondráček J. Phospholipid profiling enables to discriminate tumor- and non-tumor-derived human colon epithelial cells: Phospholipidome similarities and differences in colon cancer cell lines and in patient-derived cell samples. *PLoS One*. 2020, 15:e0228010. doi: 10.1371/journal.pone.0228010.

Machala M, Procházková J, Hofmanová J, Králiková L, Slavík J, Tylichová Z, Ovesná P, Kozubík A, Vondráček J. Colon cancer and perturbations of the sphingolipid metabolism. *Int J Mol Sci*. 2019, 20, 6051. doi: 10.3390/ijms20236051.

Tylichová Z, Neča J, Topinka J, Milcová A, Hofmanová J, Kozubík A, Machala M, Vondráček J. n-3 Polyunsaturated fatty acids alter benzo[a]pyrene metabolism and genotoxicity in human colon epithelial cell models. *Food Chem Toxicol*. 2019, 124, 374-384. doi: 10.1016/j.fct.2018.12.021.

Rynning I, Arlt VM, Vrbová K, Neča J, Rossner P, Klema J, Ulvestad B, Petersen E, Skare Ø, Haugen A, Phillips DH, Machala M, Topinka J, Mollerup S. Bulky DNA adducts, microRNA profiles, and lipid biomarkers in Norwegian tunnel finishing workers occupationally exposed to diesel exhaust. *Occup Environ Med*. 2019, 76, 10-16.

Tylichová Z, Slavík J, Ciganek M, Ovesná P, Krčmář P, Straková N, Machala M, Kozubík A, Hofmanová J, Vondráček J. Butyrate and docosahexaenoic acid interact in alterations of specific lipid classes in differentiating colon cancer cells. *J Cell Biochem*. 2018, 119, 4664-4679.

Pierucci F, Frati A, Squecco R, Lenci E, Vicenti C, Slavík J, Francini F, Machala M, Meacci E. Non-dioxin-like organic toxicant PCB153 modulates sphingolipid metabolism in liver progenitor cells: its role in Cx43-formed gap junction impairment. *Arch Toxicol*. 2017, 91, 749-760.

Hofmanová J, Slavík J, Ovesná P, Tylichová Z, Vondráček J, Straková N, Vaculová AH, Ciganek M, Kozubík A, Knopfová L, Šmarda J, Machala M. Dietary fatty acids specifically modulate phospholipid pattern in colon cells with distinct differentiation capacities. *Eur J Nutr*. 2017, 56, 1493-1508. doi: 10.1007/s00394-016-1196-y.

Skender B, Hofmanová J, Slavík J, Jelínková I, Machala M, Moyer MP, Kozubík A, Hyršlová Vaculová A. DHA-mediated enhancement of TRAIL-induced apoptosis in colon cancer cells is associated with engagement of mitochondria and specific alterations in sphingolipid metabolism. *Biochim Biophys Acta*. 2014, 1841, 1308-17. doi: 10.1016/j.bbali.2014.06.005.

Ghossoub R, Lembo F, Rubio A, Gaillard CB, Bouchet J, Vitale N, Slavík J, Machala M, Zimmermann P. Syntenin-ALIX exosome biogenesis and budding into multivesicular bodies are controlled by ARF6 and PLD2. *Nat Commun* 2014, 5:3477. doi: 10.1038/ncomms4477.

Hofmanová J, Ciganek M, Slavík J, Kozubík A, Stixová L, Vaculová A, Dušek L, Machala M. Lipid alterations in human colon epithelial cells induced to differentiation and/or apoptosis by butyrate and polyunsaturated fatty acids. *J Nutr Biochem*. 2012, 23, 539-48. doi: 10.1016/j.jnutbio.2011.02.010.

